BA CALVING & FEEDING EQUIPMENT

For All Your Calf Rearing & Mobile Feeding Needs



DISTRIBUTED BY:

TOKOROA ENGINEERING

BA GROUP AUSTRALIA

03 5278 9033 bapumpsandsprayers.com.au

TOKOROA ENGINEERING

4M/6M CALF & PREMIUM FEEDERS

FEATURES:

- 8 inch tractor grip 6ply tyres.
- Fully hot-dipped galvanized frame provides excellent durability and longevity in tough, corrosive conditions.
- Super heavy-duty plastic trough with bung for easy drainage and cleaning.
- Troughs deliberately not bolted to frame so knocks don't result in troughs being torn away, and for ease of cleaning.
- Twin front wheels distribute the load evenly, improving traction and making tight turns easier.
- The "oily bush" pivot system offers smooth, reliable steering with minimal upkeep.
- Parking brake system automatically engages when the drawbar is raised.
- Walking beam tandem rear axle for load capacity and smooth travel (6M version only).

CALF FEEDERS





	4M CALF FEEDER	6M CALF FEEDER
PRODUCT CODE	ME-FDC4	ME-FDC6
TARE WEIGHT	200 kg	300 kg
GROSS WEIGHT	675 kg (Palm Kernel loaded)	1000 kg (Palm Kernel loaded)
HEIGHT	670mm	670mm
CAPACITY	675L	1000L
TROUGH WIDTH	800mm	800mm




PREMIUM FEEDERS





	4M PREMIUM FEEDER	6M PREMIUM FEEDER
PRODUCT CODE	ME-FDP4	ME-FDP6
TARE WEIGHT	250 kg	440 kg
GROSS WEIGHT	1250 kg (Palm Kernel loaded)	2000 kg (Palm Kernel loaded)
HEIGHT	800mm	800mm
CAPACITY	1570L	2400L
TROUGH WIDTH	1 Metre	1 Metre

6M QUICK HITCH FEEDER



	6M QUICK HITCH FEEDER
PRODUCT CODE	ME-FDQH
TARE WEIGHT	600 kg
GROSS WEIGHT	2000 kg (Palm Kernel loaded)
HEIGHT	800mm
CAPACITY	2400L
TROUGH WIDTH	1 Metre

03 5278 9033 bapumpsandsprayers.com.au

TOKOROA ENGINEERING

15 CALF TRAILER

FEATURES:

- Tare Weight 150kg.
- Size: 1900 x 1500mm (2.85sq meters).
- Deck Height: 560mm.
- 1 pen/1 door.
- Ideal for smaller calf groups.
- Easy loading and unloading.
- Equipped with a mesh floor that promotes excellent hygiene and simplifies cleaning.
- Built with a fully hot-dipped galvanized frame for long-term durability and rust resistance.

20/40 CALF TRAILER

FEATURES:

- 2 pens/4 doors.
- Transports up to 20/40 calves safely.
- Easy loading and unloading.
- Removable gates provide flexibility for different transport needs.
- Hot-dipped galvanized frame with 40mm pivot shafts in grease-less plastic bushes.
- Hygienic mesh flooring minimizes infection risks and ensures easy cleaning.
- Tandem walking beam axle for load carrying and a smooth ride.







	15-CALF TRAILER	20-CALF TRAILER	40-CALF TRAILER
PRODUCT CODE	ME-CT15	ME-CT20	ME-CT40
TARE WEIGHT	150 kg	270 kg	450 kg
L × W X H	1.9m x 1.5m x 1.5m	2.4m x 1.7m x 1.5m	3.5m x 1.65m x 1.5m
DECK AREA	2.85 m²	4.20 m²	8.14 m²
DECK HIGHT	560mm	580mm	600mm

SPARE PARTS
CALF TRAILERS & FEEDERS

ME-AX-4
4mtr Rear Stub Axle
40x275mm



ME-AX-CT
Steering Head & Calf Trailer Axle
40x270mm



1507
Walking Beam Stub Axle
32x225mm



ME-AX-DE
Double Ended Steering Head Axle
32x410mm



ME-WASH-Y
Steering Head Washer Upper
40ID



ME-BUSH50
Walking Beam Bush
50mm long, 50 OD, 40 ID



ME-BUSH75
Steering Head & Calf Trailer
Walking Beam Bush. 75mm long



ME-WB-6
Walking Beam 6mtr feeder
640mm



ME-WB-CT40
Walking Beam Calf Trailer
700mm long with boss



ME-WB-CT20
Walking Beam Calf Trailer &
Milk Bar™ Deluxe 640mm long
with boss



ME-DB-O
Draw Bar Only



ME-DB-C
Complete Draw Bar




ME-FD-TH-KIT
Rear Hitch Kit for
Premium/Calf Feeders




ME-B-B
Brake Bar



4536 LOCK NUT
For Walking Beam / Steering Head



4537 HEAVY WASHER
For Walking Beam / Steering Head



ME-WH-TGL / ME-WH-TGR
Wheel Tractor Grip
Passenger Side (L) or Driver Side (R)



ME-WH-TURF
Wheel Turf



ME-WASH
Steering Head Washer Lower




ME-RIMP
Rim Painted




ME-WH-BK
Wheel Bearing Kit



ME-TR6
Trough replacement
6mtr



ME-TR-4
Trough replacement
4mtr



ME-TR-4C
Trough replacement
4mtr Calf Feeder



ME-TR-6C
Trough replacement
6mtr Calf Feeder



ME-RIMG
Rim Galvanised



P10004-20
Steering Head Complete

